

PATENT APPLICATION
ATTORNEY DOCKET NO.: 01017/37128C

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Medlock *et al.*

Serial No: 10/037,591

Filed: December 21, 2001

For: IL-17 Like Molecules and Uses
Thereof

Group Art Unit: 1714

Examiner: TBA

) I hereby certify that this paper is being
) deposited with the United States Postal Service
) as First Class mail, postage prepaid, in an
) envelope addressed to: Commissioner for
) Patents, Washington, D.C. 20231 on August
) 16, 2002.



David A. Gass
Registration No: 38,153
Attorney for Applicants

COPY OF PAPERS
ORIGINALLY FILED

RESPONSE TO NOTICE OF INCOMPLETE REPLY

Box Missing Parts
Commissioner for Patents
Washington, DC 20231

RECEIVED

AUG 27 2002

TC 1700

Sir:

This is in response to the Notice of Incomplete Reply forwarded to the applicants on July 24, 2002 (copy enclosed) wherein the United States Patent and Trademark Office indicated the response to the Notice to File Missing Parts (mailed to applicants February 20, 2002; filed by applicants June 20, 2002) was incomplete. The reply inadvertently did not include substitute drawings in compliance with 37 C.F.R. § 1.84.

Enclosed herewith are twenty-eight (28) sheets of formal drawings for substitution in the above-referenced application that comply with the margin requirements of 37 C.F.R. § 1.84(g). This response is timely filed as it is accompanied by a petition and for a four-month extension of time. A petition and fee for a 2-month extension was filed on June 20, 2002, therefore, submitted herewith is our check for \$1040.00 for an additional two-month extension. The Commissioner is hereby authorized to charge any deficiency in the amount enclosed or any additional fees which may be required under 37 C.F.R. § 1.16 or 1.17 to

Deposit Account 13-2855. Please refund any overpayments to Marshall, Gerstein & Borun at the address below.

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN
6300 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606-6357
(312) 474-6300


By



David A. Gass
Reg. No.: 38,153
Attorney for Applicants

August 16, 2002

10037591.082202



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/037,591	12/21/2001	Eugene Medlock	01017/37128C

04743
MARSHALL, GERSTEIN & BORUN
6300 SEARS TOWER
233 SOUTH WACKER
CHICAGO, IL 60606-6357

CONFIRMATION NO. 6379

FORMALITIES LETTER



OC000000008502512

Date Mailed: 07/24/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

Docketed: 4-20-02

The U.S. Patent and Trademark Office has received your reply on 06/24/2002 to the Notice to File Missing Parts (Notice) mailed 02/20/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.


The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

COPY OF PAPERS
ORIGINALLY FILED

A copy of this notice **MUST** be returned with the reply.


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

RECEIVED
AUG 27 2002
TC 1700